SAFETY DATA SHEET

Creation Date 08-Feb-2010

Revision Date 24-Dec-2021

Revision Number 6

| 1. Identification | | | |
|-----------------------------------------|-----------------------------------------------------------------------------------|--|--|
| Product Name | Formaldehyde | | |
| Cat No. : | F79-1; F79-4; F79-4LC; F79-20; F79-200; F79-500; F79P-4; F79P-20 | | |
| Synonyms | Formalin; Methanal; Methylene oxide; Oxymethane; Formic aldehyde; Methyl aldehyde | | |
| Recommended Use Uses advised against | Laboratory chemicals. Food, drug, pesticide or biocidal product use. | | |

Details of the supplier of the safety data sheet

<u>Company</u> Rawpharma Biz Private Limited 1101, city Center 2, Science City Road, Ahmedabad, Gujarat-380060

Emergency Telephone Number : +91-9879522397

Website : www.rawpharmabiz.com

Email : info@rawpharmabiz.com

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Flammable liquids | Category 3 |
|---------------------------------------------------------------|-------------------|
| Acute oral toxicity | Category 3 |
| Acute dermal toxicity | Category 3 |
| Acute Inhalation Toxicity - Vapors | Category 3 |
| Skin Corrosion/Irritation | Category 1 B |
| Serious Eye Damage/Eye Irritation | Category 1 |
| Skin Sensitization | Category 1 |
| Germ Cell Mutagenicity | Category 2 |
| Carcinogenicity | Category 1A |
| Specific target organ toxicity (single exposure) | Category 1 |
| Target Organs - Respiratory system, Central nervous system (C | NS), Optic nerve. |
| Specific target organ toxicity - (repeated exposure) | Category 1 |
| Target Organs - Kidney, Liver, Heart, spleen, Blood. | |
| | |

Label Elements

Signal Word

Danger

Hazard Statements Flammable liquid and vapor Causes severe skin burns and eye damage May cause an allergic skin reaction May cause respiratory irritation May cause drowsiness or dizziness Suspected of causing genetic defects May cause cancer Causes damage to organs Causes damage to organs through prolonged or repeated exposure Toxic if swallowed, in contact with skin or if inhaled



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

Rinse mouth

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Other hazards

Poison, may be fatal or cause blindness if swallowed. Vapor harmful. CANNOT BE MADE NON-POISONOUS. WARNING. Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|----------------|-----------|----------|
| Water | 7732-18-5 | 45 - 48 |
| Formaldehyde | 50-00-0 | 37 - 40 |
| Methyl alcohol | 67-56-1 | 15 |

| | 4. First-aid measures | | | |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| General Advice | Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. | | | |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. | | | |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. | | | |
| Inhalation | If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required. | | | |
| Ingestion | Do NOT induce vomiting. Call a physician or poison control center immediately. | | | |
| Most important symptoms and effects | Difficulty in breathing. Causes burns by all exposure routes. May cause allergic skin reaction Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing | | | |
| Notes to Physician | Treat symptomatically | | | |

5. Fire-fighting measures

| Suitable Extinguishing Media | Water mist may be used to cool closed containers. |
|---------------------------------------------------|----------------------------------------------------------------------|
| Unsuitable Extinguishing Media | No information available |
| Flash Point | 50 °C / 122 °F |
| Method - | No information available |
| Autoignition Temperature Explosion Limits | No information available |
| Upper Lower Sensitivity to Mechanical Impac | No data available No data available t No information available |

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Hydrogen. Formaldehyde.

Protective Equipment and Precautions for Firefighters

Thermal decomposition can lead to release of irritating gases and vapors. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

| NFPA Health 3 | Flammability 2 | Instability 0 | Physical hazards N/A |
|-------------------------------|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| | 6. Accidental re | lease measures | |
| Personal Precautions | people away from and upw sources of ignition. Take p | uipment as required. Evacuate rind of spill/leak. Ensure adequa recautionary measures against to the environment. Do not flush | static discharges. |
| | | 12 for additional Ecological In | |
| Methods for Containment and C | lean Soak up with inert absorbe | nt material. Keep in suitable, cl | osed containers for disposal. |
| Up | Remove all sources of ignit | tion. Use spark-proof tools and | explosion-proof equipment. |
| | 7. Handling | | |
| Handling | eyes, on skin, or on clothin ingest. If swallowed then s | eek immediate medical assista ources of ignition. Use only not | uipment/face protection. Do not nce. Keep away from open |
| Storage. | Keep away from heat, spar | sed in a dry, cool and well-vent ks and flame. Incompatible Ma s. Isocyanates. Acid anhydride | aterials. Strong oxidizing agents. |

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|----------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------|
| Formaldehyde | TWA: 0.1 ppm STEL: 0.3 ppm | (Vacated) TWA: 3 ppm (Vacated) STEL: 10 ppm (Vacated) Ceiling: 5 ppm TWA: 0.75 ppm STEL: 2 ppm | IDLH: 20 ppm TWA: 0.016 ppm Ceiling: 0.1 ppm | Ceiling: 0.3 ppm |
| Methyl alcohol | TWA: 200 ppm STEL: 250 ppm Skin | (Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m ³ (Vacated) STEL: 250 ppm (Vacated) STEL: 325 mg/m ³ Skin TWA: 200 ppm TWA: 260 mg/m ³ | IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³ | TWA: 200 ppm STEL: 250 ppm |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

| Engineering Measures | Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal Protective Equipment | |
| Eye/face Protection | Tight sealing safety goggles. Face protection shield. |
| Skin and body protection | Wear appropriate protective gloves and clothing to prevent skin exposure. |
| Respiratory Protection | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. |
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety practice. |

| 9. Physical and chemical properties | | |
|----------------------------------------|--------------------------|--|
| Physical State | Liquid | |
| Appearance | Colorless | |
| Odor | pungent | |
| Odor Threshold | No information available | |
| рН | No information available | |
| Melting Point/Range | 0 °C / 32 °F | |
| Boiling Point/Range | 101 °C / 213.8 °F | |
| Flash Point | 50 °C / 122 °F | |
| Evaporation Rate | No information available | |
| Flammability (solid,gas) | Not applicable | |
| Flammability or explosive limits | | |
| Upper | No data available | |
| Lower | No data available | |
| Vapor Pressure | No information available | |
| Vapor Density | > 1.0 | |
| Specific Gravity | No information available | |
| Solubility | miscible | |
| Partition coefficient; n-octanol/water | No data available | |
| Autoignition Temperature | No information available | |
| Decomposition Temperature | No information available | |
| Viscosity | No information available | |

10. Stability and reactivity

| Reactive Hazard | None known, based on information available |
|---------------------------------|--------------------------------------------------------------------------------------------------------------|
| Stability | Stable under normal conditions. |
| Conditions to Avoid | Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. |
| Incompatible Materials | Strong oxidizing agents, Strong bases, nitriles, Acids, Isocyanates, Acid anhydrides, Metals, Acid chlorides |
| Hazardous Decomposition Product | s Hydrogen, Formaldehyde |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Acute Toxicity

| Product Information Oral LD50 Dermal LD50 Vapor LC50 Component Informat | ion | Category 3. ATE = Category 3. ATE = Category 3. ATE = | = 200 - 1000 mg/kg | | | |
|-------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------|
| Component | | LD50 Oral | | LD50 Dermal | LC50 | Inhalation |
| Water | | - | | - 070 mg/kg (Dobbit) | 0.570 m | - ~// (Dot) 4 h |
| Formaldehyde | | 500 mg/kg (Rat) | | 270 mg/kg (Rabbit) | | g/L (Rat) 4 h |
| Methyl alcoho Toxicologically Syne | | 050 = 1187 – 2769 mg/k No information ava | 5 () | 17100 mg/kg (Rabbit |) LC50 = 128. | 2 mg/L (Rat) 4 h |
| Products | gistic | Nomonationave | | | | |
| Delayed and immedia | ate effects as | well as chronic effe | cts from short an | d long-term expo | <u>sure</u> | |
| Irritation | | Causes burns by a | all exposure routes | | | |
| Sensitization | | May cause sensitiz | zation by skin cont | act | | |
| Carcinogenicity | | The table below in | dicates whether ea | ach agency has liste | ed any ingredient a | as a carcinogen. |
| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
| Water | 7732-18-5 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Formaldehyde Methyl alcohol | 50-00-0 67-56-1 | Group 1 Not listed | Known Not listed | A1 Not listed | X Not listed | A2 Not listed |
| Hygienists) | | Governmental Industr imits - Carcinogens | A2 - Susper A3 - Anima ACGIH: (A Mexico - Oc A1 - Confin A2 - Susper A3 - Confin A4 - Not Cli | Human Carcinogen cted Human Carcinog l Carcinogen merican Conference o ccupational Exposure med Human Carcinogo ted Human Carcinogo assifiable as a Human spected as a Human | of Governmental Ind Limits - Carcinogens Jen Jen en Carcinogen | |
| Mutagenic Effects Mutagenic effect | | | have occurred in h | | | |
| Reproductive Effects Experiments have show | | | shown reproductiv | ve toxicity effects or | n laboratory anima | ls. |
| Developmental Effec | ts | Developmental effects have occurred in experimental animals. Component substance listed on California Proposition 65 as a developmental hazard. | | | t substance is | |
| Teratogenicity | | Teratogenic effect | s have occurred in | experimental animation | als. | |
| STOT - single exposit STOT - repeated expo | | Respiratory system Central nervous system (CNS) Optic nerve Kidney Liver Heart spleen Blood | | | | |
| Aspiration hazard | | No information available | | | | |
| Symptoms / effects, delayed | both acute an | Id Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptom | | | | ndicated. estion causes |

of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Do not empty into drains. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|----------------|------------------|-----------------------------------------------|---------------------------------------------------------------------------------|-----------------------------------------|
| Formaldehyde | Not listed | Leuciscus idus: LC50 = 15 mg/L 96h | Not listed | EC50 = 20 mg/L 96h EC50 = 2 mg/L 48h |
| Methyl alcohol | Not listed | Pimephales promelas: LC50 > 10000 mg/L 96h | EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min | EC50 > 10000 mg/L 24h |

Persistence and Degradability

Miscible with water Persistence is unlikely based on information available.

Bioaccumulation/Accumulation

No information available.

Mobility

Ecotoxicity

. Will likely be mobile in the environment due to its water solubility.

| Component | log Pow |
|----------------|---------|
| Formaldehyde | -0.35 |
| Methyl alcohol | -0.74 |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes |
|--------------------------|------------------------|------------------------|
| Formaldehyde - 50-00-0 | U122 | - |
| Methyl alcohol - 67-56-1 | U154 | - |

14. Transport information

| DOT | |
|-------------------------|-----------------------------------|
| UN-No | UN1198 |
| Proper Shipping Name | FORMALDEHYDE SOLUTIONS, FLAMMABLE |
| Hazard Class | 3 |
| Subsidiary Hazard Class | 8 |
| Packing Group | III |
| TDG | |
| UN-No | UN1198 |
| Proper Shipping Name | FORMALDEHYDE SOLUTION, FLAMMABLE |
| Hazard Class | 3 |
| Subsidiary Hazard Class | 8 |
| Packing Group | III |
| <u>IATA</u> | |
| UN-No | UN1198 |
| Proper Shipping Name | FORMALDEHYDE SOLUTION, FLAMMABLE |
| Hazard Class | 3 |
| Subsidiary Hazard Class | 8 |
| Packing Group | III |
| IMDG/IMO | |
| UN-No | UN1198 |
| Proper Shipping Name | FORMALDEHYDE SOLUTION, FLAMMABLE |
| Hazard Class | 3 |
| | |

Subsidiary Hazard Class 8 **Packing Group** Ш

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|----------------|-----------|------|--------------------------------------------------|--------------------------------|
| Water | 7732-18-5 | Х | ACTIVE | - |
| Formaldehyde | 50-00-0 | Х | ACTIVE | - |
| Methyl alcohol | 67-56-1 | Х | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|----------------|-----------|-----|------|-----------|-------|------|------|------|-------|----------|
| Water | 7732-18-5 | Х | - | 231-791-2 | Х | Х | | Х | Х | KE-35400 |
| Formaldehyde | 50-00-0 | Х | - | 200-001-8 | Х | Х | Х | Х | Х | KE-17074 |
| Methyl alcohol | 67-56-1 | Х | - | 200-659-6 | Х | Х | Х | Х | Х | KE-23193 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

| Component | CAS No | Weight % | SARA 313 - Threshold Values % |
|----------------|---------|----------|----------------------------------|
| Formaldehyde | 50-00-0 | 37 - 40 | 0.1 |
| Methyl alcohol | 67-56-1 | 15 | 1.0 |

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|--------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Formaldehyde | Х | 100 lb | - | - |

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|----------------|-----------|-------------------------|-------------------------|
| Formaldehyde | Х | | - |
| Methyl alcohol | Х | | - |

OSHA - Occupational Safety and

Health Administration

| | Component | | Specifically Regulated Chemicals | Highly Hazardous Chemicals | | |
|--------|--------------|------------------------------------------|---------------------------------------------------------------------------------|----------------------------|--|--|
| | Formaldehyde | rmaldehyde 2 ppm 0.5 ppm A 0.75 pp | | TQ: 1000 lb | | |
| CERCLA | | | s material, as supplied, contains one or more substances regulated as a hazardo | | | |

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

| Component | Component Hazardous Substances RQs | |
|----------------|------------------------------------|--------|
| Formaldehyde | 100 lb | 100 lb |
| Methyl alcohol | 5000 lb | - |

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Component | CAS No | California Prop. 65 | Prop 65 NSRL | Category |
|------------------------|---------|----------------------|--------------|---------------|
| Formaldehyde | 50-00-0 | Carc. (Gaseous only) | 40 µg/day | Carcinogen |
| Methyl alcohol | 67-56-1 | Developmental | - | Developmental |
| LO Otata Diskt to Know | | • | | |

U.S. State Right-to-Know

Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|----------------|---------------|------------|--------------|----------|--------------|
| Water | - | - | Х | - | - |
| Formaldehyde | Х | Х | Х | Х | Х |
| Methyl alcohol | Х | Х | Х | Х | Х |

U.S. Department of Transportation

| Reportable Quantity (RQ): | Y |
|-----------------------------|---|
| DOT Marine Pollutant | Ν |
| DOT Severe Marine Pollutant | Ν |

U.S. Department of Homeland Security

This product contains the following DHS chemicals: **Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component | DHS Chemical Facility Anti-Terrorism Standard |
|--------------|-----------------------------------------------|
| Formaldehyde | Release STQs - 15000lb (solution) |
| | |

Other International Regulations

Mexico - Grade

Moderate risk, Grade 2

Authorisation/Restrictions according to EU REACH

| Component | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|----------------|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Formaldehyde | - | Use restricted. See item 72. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) | - |
| Methyl alcohol | - | Use restricted. See item 69. (see link for restriction details) | - |

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|----------------|-----------|-----------------------------------------------------------------|-----------------------------------------------------------------|-------------------------------|--------------------------------------------------|
| Water | 7732-18-5 | Listed | Not applicable | Not applicable | Not applicable |
| Formaldehyde | 50-00-0 | Listed | Not applicable | Not applicable | Not applicable |
| Methyl alcohol | 67-56-1 | Listed | Not applicable | Not applicable | Not applicable |
| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities | Seveso III Directive (2012/18/EC) - Qualifying Quantities | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |

| | | for Major Accident Notification | for Safety Report Requirements | | |
|----------------|-----------|------------------------------------|-----------------------------------|----------------|----------------|
| Water | 7732-18-5 | Not applicable | Not applicable | Not applicable | Not applicable |
| Formaldehyde | 50-00-0 | 5 tonne | 50 tonne | Not applicable | Not applicable |
| Methyl alcohol | 67-56-1 | 500 tonne | 5000 tonne | Not applicable | Not applicable |

| 16. Other information | | |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Prepared By | Rawpharma Biz private Limited | |
| | 1101, City Center – 2 | |
| | Science City Road, | |
| | Sola, Ahmedabad, | |
| | Gujarat – 380060 | |
| | info@rawpharmabiz.com | |
| | www.rawpharmabiz.com | |
| Creation Date | 08-Feb-2010 | |
| Revision Date | 24-Dec-2021 | |
| Print Date | 24-Dec-2021 | |
| Revision Summary | This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). | |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS